EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	1	"20050010685"	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L6	19425	709/203,217,220,238.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L7	46	((connection near oriented) and stor$5).ab.	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L8	1	L5 and L7	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L9	2	"20050022046"	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L10	11	("5577240" "5745671" "6112255" "6226111" "6434637" "6657952" "6751746" "6952395" "6990067" "7007189").pn. "20020016933"	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L11	26	((connection near oriented) and stor$5).ab.	USPAT	OR	ON	2008/05/26 18:57
L12	5	L11 and (ospf or (open near short near path near first))	USPAT	OR	ON	2008/05/26 18:57
L13	1	L9 and (node router hub switch terminal)	USPAT	OR	ON	2008/05/26 18:57
L14	5	L12 and (node router hub switch terminal)	USPAT	OR	ON	2008/05/26 18:57
L15	5	((connection near oriented) and stor$5) and L14	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L16	3	L15 and (lsp mpls (label near switch$5))	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L17	3	L16 and (config$5 updat$5)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L18	1	L17 and header with data near packet	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L19	1	L17 and header with packet	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57

L20	2	L17 and header	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L21	1	L18 and header and packet	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L22	1	"6628617".pn.	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L23	1	L22 and (path loop$4)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L24	1	L23 and identi$6 and identi$6 near12 (stor$5 memory database) and (stor$5 memory database)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L25	4199	L24 abd header near12 (forward near3 path)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L26	0	L24 and header near12 (forward near3 path)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L27	0	L24 and header same (forward near3 path)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L28	0	L24 and header near12 (forward)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L29	1	L24 and header near12 (path)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L30	1	L29 and forward$5	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L31	2	"20050022046"	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L32	1	L31 and (node router hub switch terminal)	USPAT	OR	ON	2008/05/26 18:57
L33	26	((connection near oriented) and stor$5).ab.	USPAT	OR	ON	2008/05/26 18:57
L34	5	L33 and (ospf or (open near short near path near first))	USPAT	OR	ON	2008/05/26 18:57
L35	5	L34 and (node router hub switch terminal)	USPAT	OR	ON	2008/05/26 18:57
L36	5	((connection near oriented) and stor$5) and L35	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57

L37	3	L36 and (lsp mpls (label near switch$5))	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L38	3	L37 and (config$5 updat$5)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L39	1	L38 and header with packet	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L40	1	L38 and header with data near packet	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L41	1	L40 and header and packet	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L42	11	("5577240" "5745671" "6112255" "6226111" "6434637" "6657952" "6751746" "6952395" "6990067" "7007189").pn. "20020016933"	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L43	1	"20050010685"	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L44	46	((connection near oriented) and stor$5).ab.	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L45	1	L43 and L44	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L46	19425	709/203,217,220,238.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L47	2	L38 and header	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L48	1	"6628617".pn.	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L49	1	L48 and (path loop$4)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L50	1	L49 and identi$6 and identi$6 near12 (stor$5 memory database) and (stor$5 memory database)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L51	1	L50 and header near12 (path)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57

L52	1	L51 and forward$5	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L53	4199	L50 abd header near12 (forward near3 path)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L54	0	L50 and header near12 (forward near3 path)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L55	0	L50 and header same (forward near3 path)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L56	0	L50 and header near12 (forward)	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L57	79	"0."	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L58	876	(loop near2 path).ab.	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L59	1008	establish$5 near2 session near12 node	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L60	0	L59 and L58	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L61	0	(loop near2 path) near12 L59	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L62	6	(loop near2 path) and L59	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L63	147	connection near2 oriented and loop$5 near2 path	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L64	1419	(loop$5 and path and connect$5).ab.	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L65	19	L63 and L64	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
L66	18	L65 and @ad<"20040419"	US-PGPUB; USPAT	OR	ON	2008/05/26 18:57
S1	1	"20050010685"	US-PGPUB; USPAT	OR	ON	2007/03/04 14:13

S2	15872	709/203,217,220,238.ccls.	US-PGPUB; USPAT	OR	ON	2007/03/04 14:17
S3	40	((connection near oriented) and stor$5).ab.	US-PGPUB; USPAT	OR	ON	2007/03/04 15:08
S4	1	S1 and S3	US-PGPUB; USPAT	OR	ON	2007/03/04 14:19
S5	1	"20050022046"	US-PGPUB; USPAT	OR	ON	2007/03/04 14:24
S6	11	("5577240" "5745671" "6112255" "6226111" "6434637" "6657952" "6751746" "6952395" "6990067" "7007189").pn. "20020016933"	US-PGPUB; USPAT	OR	ON	2007/03/04 14:26
S7	24	((connection near oriented) and stor$5).ab.	USPAT	OR	ON	2007/03/04 15:02
S8	5	S7 and (ospf or (open near short near path near first))	USPAT	OR	ON	2007/03/04 15:05
S9	0	S5 and (node router hub switch terminal)	USPAT	OR	ON	2007/03/04 15:06
S10	5	S8 and (node router hub switch terminal)	USPAT	OR	ON	2007/03/04 15:06
S11	5	((connection near oriented) and stor$5) and S10	US-PGPUB; USPAT	OR	ON	2007/03/04 15:09
S12	3	S11 and (lsp mpls (label near switch$5))	US-PGPUB; USPAT	OR	ON	2007/03/04 15:15
S13	3	S12 and (config$5 updat$5)	US-PGPUB; USPAT	OR	ON	2007/03/04 15:29
S14	1	S13 and header with data near packet	US-PGPUB; USPAT	OR	ON	2007/03/04 15:33
S15	1	S13 and header with packet	US-PGPUB; USPAT	OR	ON	2007/03/04 15:30
S16	2	S13 and header	US-PGPUB; USPAT	OR	ON	2007/03/04 15:30
S17	1	S14 and header and packet	US-PGPUB; USPAT	OR	ON	2007/03/04 15:33

S18	1	"6628617".pn.	US-PGPUB; USPAT	OR	ON	2007/03/05 10:17
S19	1	S18 and (path loop$4)	US-PGPUB; USPAT	OR	ON	2007/03/05 10:17
S20	1	S19 and identi$6 and identi$6 near12 (stor$5 memory database) and (stor$5 memory database)	US-PGPUB; USPAT	OR	ON	2007/03/05 10:57
S21	3729	S20 abd header near12 (forward near3 path)	US-PGPUB; USPAT	OR	ON	2007/03/05 10:57
S22	0	S20 and header near12 (forward near3 path)	US-PGPUB; USPAT	OR	ON	2007/03/05 10:59
S23	0	S20 and header same (forward near3 path)	US-PGPUB; USPAT	OR	ON	2007/03/05 10:58
S24	0	S20 and header near12 (forward)	US-PGPUB; USPAT	OR	ON	2007/03/05 10:59
S25	1	S20 and header near12 (path)	US-PGPUB; USPAT	OR	ON	2007/03/05 11:00
S26	1	S25 and forward$5	US-PGPUB; USPAT	OR	ON	2007/03/05 11:00
S27	2	"20050022046"	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S28	1	S27 and (node router hub switch terminal)	USPAT	OR	ON	2007/11/15 19:20
S29	25	((connection near oriented) and stor$5).ab.	USPAT	OR	ON	2007/11/15 19:20
S30	5	S29 and (ospf or (open near short near path near first))	USPAT	OR	ON	2007/11/15 19:20
S31	5	S30 and (node router hub switch terminal)	USPAT	OR	ON	2007/11/15 19:20
S32	5	((connection near oriented) and stor$5) and S31	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S33	3	S32 and (lsp mpls (label near switch$5))	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S34	3	S33 and (config$5 updat$5)	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20

S35	1	S34 and header with packet	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S36	1	S34 and header with data near packet	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S37	1	S36 and header and packet	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S38	11	("5577240" "5745671" "6112255" "6226111" "6434637" "6657952" "6751746" "6952395" "6990067" "7007189").pn. "20020016933"	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S39	1	"20050010685"	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S40	42	((connection near oriented) and stor$5).ab.	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S41	1	S39 and S40	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S42	17892	709/203,217,220,238.ccls.	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S43	2	S34 and header	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S44	1	"6628617".pn.	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S45	1	S44 and (path loop$4)	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S46	1	S45 and identi$6 and identi$6 near12 (stor$5 memory database) and (stor$5 memory database)	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S47	1	S46 and header near12 (path)	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S48	1	S47 and forward$5	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S49	3991	S46 abd header near12 (forward near3 path)	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20

S50	0	S46 and header near12 (forward near3 path)	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S51	0	S46 and header same (forward near3 path)	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S52	0	S46 and header near12 (forward)	US-PGPUB; USPAT	OR	ON	2007/11/15 19:20
S53	79	"0."	US-PGPUB; USPAT	OR	ON	2008/05/26 13:22
S54	876	(loop near2 path).ab.	US-PGPUB; USPAT	OR	ON	2008/05/26 13:33
S55	1008	establish$5 near2 session near12 node	US-PGPUB; USPAT	OR	ON	2008/05/26 13:37
S56	0	S55 and S54	US-PGPUB; USPAT	OR	ON	2008/05/26 13:37
S57	0	(loop near2 path) near12 S55	US-PGPUB; USPAT	OR	ON	2008/05/26 13:39
S58	6	(loop near2 path) and S55	US-PGPUB; USPAT	OR	ON	2008/05/26 13:39
S59	147	connection near2 oriented and loop$5 near2 path	US-PGPUB; USPAT	OR	ON	2008/05/26 16:31
S60	1419	(loop$5 and path and connect$5).ab.	US-PGPUB; USPAT	OR	ON	2008/05/26 16:31
S61	19	S59 and S60	US-PGPUB; USPAT	OR	ON	2008/05/26 16:32
S62	18	S61 and @ad<"20040419"	US-PGPUB; USPAT	OR	ON	2008/05/26 16:37

5/26/08 7:00:30 PM
C:\ Documents and Settings\ esall\ My Documents\ EAST\ Workspaces\ 618190.wsp